



US 20090198533A1

(19) **United States**

(12) **Patent Application Publication**
Narayanaswamy et al.

(10) **Pub. No.: US 2009/0198533 A1**

(43) **Pub. Date: Aug. 6, 2009**

(54) **BUSINESS PROCESS EXTRACTOR**

Publication Classification

(75) Inventors: **Sreedhara Srinivasulu**
Narayanaswamy, Plano, TX (US);
Sudhakar Anivella, Hyderabad
(IN)

(51) **Int. Cl.**
G06Q 10/00 (2006.01)
(52) **U.S. Cl.** **705/7**
(57) **ABSTRACT**


Correspondence Address:
SCULLY SCOTT MURPHY & PRESSER, PC
400 GARDEN CITY PLAZA, SUITE 300
GARDEN CITY, NY 11530 (US)

A system and method for extracting information from business applications in real time is provided. The method comprises the steps of obtaining a message from the business applications, identifying and categorizing a business process context of the message, storing the business process context of said message, correlating the message based on said business process context with stored business process contexts to create a life cycle, and publishing the life cycle as processed data. The message can be pre-processed and data can be extracted from the message. A plug-in, a message sniffer, and a subscription for specific categories published by business applications can be used to get the message from the business applications. The message can be identifying and categorizing using configurable rules, and a correlation engine having pre-defined algorithms can be used to correlate the message with other messages.

(73) Assignee: **COMPUTER ASSOCIATES**
THINK, INC., Islandia, NY (US)

(21) Appl. No.: **12/023,741**

(22) Filed: **Jan. 31, 2008**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5

Fig. 6

BSO Business Optimization Engine

Issue: 123, Title: Mail not working
 Priority: P1, Date Created: 01/02/2006T11:00:00

Status	Description	Note By	TimeStamp
CREATED	Mail not working	Smith	01/02/2006 T 11:00:00
ASSIGNED	Mail not working	Bob	01/02/2006 T 12:00:00
WORKINPROGRESS	Please detail about it. Are you getting any specific error?	Bob	01/02/2006 T 12:30:00
WORKINPROGRESS	It is displaying an error unable to POP mail from server.	Smith	01/02/2006 T 12:45:00
WORKINPROGRESS	What is the version of Mail?	Bob	01/02/2006 T 12:58:00
WORKINPROGRESS	Mail 2000	Smith	01/02/2006 T 13:08:00

Issue: 124
 Priority: P2
 Title: Account Locked
 Date Created: 01/02/2006T11:16:00

Status	Description	Note By	TimeStamp	Hrs/Events	Std Hrs./Events	Deviation (Hrs)	Updated (Hrs:)
CREATED	Account is locked.	Brad	01/02/2006 T 11:16:00	0.0	0.0	0.0	0.0
ASSIGNED	Account is unlocked and reset.		01/02/2006 T 12:01:00	0.75	0.5	-0.25	0.75
WORKINPROGRESS	Account is unlocked. I am able...	Joe	01/02/2006 T 12:12:00	0.18	0.5	0.32	0.18
CLOSED		Brad	01/02/2006 T 12:33:00	0.35	5.0	4.65	0.35
				1.27	6.0	4.73	

Issue: 125
 Title: Unable to access Internet

Issue	Priority	Date Created	Total Time Taken (Hrs.)	Original Time (Hrs.)	Total Deviation (Hrs.)
123	P1	01/02/2006 T 11:00:00	2.45	3.0	0.54
124	P2	01/02/2006 T 11:16:00	1.27	6.0	4.73
125	P2	01/02/2006 T 11:36:00	2.63	6.0	3.37
126	P3	01/02/2006 T 12:59:00	75.14	6.0	-69.14
127	P3	01/02/2006 T 14:34:00	212.22	6.0	-206.22

User Input
 Original value computed by BPO

Fig. 7

BSO Business Optimization Engine

Issue: 123, Title: Mail not working
 Priority: P1, Date Created: 01/02/2006T11:00:00

Status	Description	Note By	TimeStamp
CREATED	Mail not working	Smith	01/02/2006 T 11:00:00
ASSIGNED	Mail not working	Bob	01/02/2006 T 12:00:00
WORKINPROGRESS	Please detail about it. Are you getting any specific error?	Bob	01/02/2006 T 12:30:00
WORKINPROGRESS	It is displaying an error unable to POP mail from server.	Smith	01/02/2006 T 12:45:00
WORKINPROGRESS	What is the version of Mail?	Bob	01/02/2006 T 12:58:00
WORKINPROGRESS	Mail 2000	Smith	01/02/2006 T 13:08:00

Issue: 124
 Priority: P2
 Title: Account Locked
 Date Created: 01/02/2006T11:16:00

Status	Description	Note By	TimeStamp	Hrs/Events	Std Hrs./Events	Deviation (Hrs)	Updated (Hrs:)
CREATED	Account is locked.	Brad	01/02/2006 T 11:16:00	0.0	0.0	0.0	0.0
ASSIGNED	Account is unlocked and reset.		01/02/2006 T 12:01:00	0.75	0.5	-0.25	0.25
WORKINPROGRESS	Account is unlocked. I am able...	Joe	01/02/2006 T 12:12:00	0.18	0.5	0.32	0.18
CLOSED		Brad	01/02/2006 T 12:33:00	0.35	5.0	4.65	0.35
				1.27	6.0	4.73	

Issue: 125
 Title: Unable to access Internet

Issue	Priority	Date Created	Total Time Taken (Hrs.)	Original Time (Hrs.)	Total Deviation (Hrs.)
123	P1	01/02/2006 T 11:00:00	2.45	3.0	0.54
124	P2	01/02/2006 T 11:16:00	0.78	6.0	4.73
125	P2	01/02/2006 T 11:36:00	2.63	6.0	3.37
126	P3	01/02/2006 T 12:59:00	75.14	6.0	-69.14
127	P3	01/02/2006 T 14:34:00	212.22	6.0	-206.22

New User Input
 New process behavior automatically computed by BPO




Fig. 8

BUSINESS PROCESS EXTRACTORCROSS-REFERENCE TO RELATED
APPLICATIONS

[0001] This application is related to the following commonly-owned, co-pending United States Patent Applications filed on even date herewith, the entire contents and disclosure of each of which is expressly incorporated by reference herein as if fully set forth herein. U.S. patent application Ser. No. (21,273), for “BUSINESS OPTIMIZATION ENGINE”; U.S. patent application Ser. No. (21,562), for “BUSINESS PROCESS OPTIMIZER”; U.S. patent application Ser. No. (21,563), for “BUSINESS PROCESS ANALYZER”.

FIELD OF THE INVENTION

[0002] The present invention relates generally to process optimization technology, and more specifically to a system and method for optimizing enterprise applications driven by business processes.

BACKGROUND OF THE INVENTION

[0003] In today’s world, continuous optimization of operational methods and procedures is a major focus of all major businesses. However, performing enterprise operations often requires implementing multiple, discrete computer applications. As a result, capturing and understanding operations or business processes that are part of an enterprise’s business information technology (IT) solution is critical for any organization’s optimization initiative. Among the many challenges faced when trying to understand operations are heterogeneous applications throughout the organization with no uniform way to capture and/or extract information from these applications, business processes that age before the advent of business process management (BPM) tools that are currently used for designing them, a gap between designed processes and executable process, and a need for human investigation to identify problems and suggest improvements for business processes.

[0004] U.S. Pat. Nos. 5,734,837 and 6,073,109 disclose a typical workflow engine, that is, a programming tool for workflow. A process can be created based on the workflow. However, neither analysis nor optimization of the process is performed.

[0005] U.S. Patent Application Publication No. 2005/0289138 discloses a near real-time system and method that analyzes large amounts of data. While the system uses XML format, it analyzes only data, not processes, and merely reports results. No optimization is performed. Similarly, U.S. Patent Application Publication No. 2005/0154700 discloses an extraction, analysis and processing system for specialized data from service industries. This approach is somewhat like typical data mining systems but focuses on a specific type of data, that of services industries.

[0006] U.S. Patent Application Publication No. 2004/0187140 discloses an application framework that may contain business processes. However, no analysis or optimization of the processes is performed.

[0007] Among the problems of the aforementioned systems are the lack of a standard way to capture and/or extract information from heterogeneous business applications, and

the lack of automated means to identify and interpret business process problems, and to suggest improvements to maximize process results.

BRIEF SUMMARY OF THE INVENTION

[0008] The present invention advantageously provides a system and method for optimizing enterprise applications driven by business processes. The system includes a data repository, an extractor to perform real time extraction of process life cycle information from business solutions integrating heterogeneous independent business applications, the extractor storing the extracted information in the data repository, an analyzer to identify usage patterns in the extracted information, and an optimizer to optimize the extracted information and to create exportable output usable by external tools. The analyzer can employ user-defined algorithms and/or rules to identify the usage patterns. The optimizer can use process simulation mechanisms, what-if analysis, data stored in the data repository, data stored in a rule repository, and user input data, in any combination, to optimize the extracted information.

BRIEF DESCRIPTION OF THE DRAWINGS

[0009] The invention is further described in the detailed description that follows, by reference to the noted drawings by way of non-limiting illustrative embodiments of the invention, in which like reference numerals represent similar parts throughout the drawings. As should be understood, however, the invention is not limited to the precise arrangements and instrumentalities shown. In the drawings:

[0010] FIG. 1 is a schematic of business optimization engine architecture;

[0011] FIG. 2 is a schematic of the extraction component of the exemplary architecture;

[0012] FIG. 3 is a schematic of the analytical component of the exemplary architecture;

[0013] FIG. 4 is a schematic of the optimization component of the exemplary architecture;

[0014] FIG. 5 is a flow diagram of business optimization engine;

[0015] FIG. 6 is a screen display of an exemplary embodiment;

[0016] FIG. 7 is another screen display of an exemplary embodiment; and

[0017] FIG. 8 is a flow diagram of the extractor component of the exemplary architecture.

DETAILED DESCRIPTION OF THE INVENTION

[0018] An inventive solution is presented to the need for a system and method to capture, evaluate, interpret, and optimize business processes that are part of business IT solutions. The disclosed business optimization engine (BOE) solves this problem with a system and method that provides a framework for extracting, analyzing, and optimizing business processes that bind heterogeneous enterprise applications together to deliver business functionality.

[0019] BOE provides a framework for operational business intelligence applications that would enable business analysts to understand how current business processes, as implemented in heterogeneous applications, actually perform their tasks, by clearly showing each step or task as well as the interaction among tasks in detail. BOE goes beyond a workflow examination to explore process flows. With its thorough

extraction and analysis method, BOE generates a complete and accurate extracted business process from which an improved process can be designed. BOB enables users to discover problems with the current business processes, such as weak spots, bottlenecks, manual steps, and redundancies. Further, BOE offers recommendations for solving these problems by using predefined knowledge and reference models modeling end-to-end business or life cycle processes, as well as individual rules describing various steps of a business process. In addition to providing problem solving recommendations, the knowledge and reference models create a baseline for future analysis using adaptive learning techniques.

[0020] BOE does not require that a specific BPM tool be used in any of the applications. Instead, BOE can monitor messages generated by a variety of applications or middleware, so that integration among multiple applications can be achieved. Each component of BOE can function as a well defined set of web services to achieve seamless integration.

[0021] FIG. 1 is a schematic of BOE architecture 2. BOE 2 consists of three components: a business process extractor (BPE) 10, a business process analyzer (BPA) 12, and a business process optimizer (BPO) 14. Each component is described in more detail below. BOE 2 integrates with general BPM-based applications 20. An integration layer 22 provides the interface between middleware and/or the applications 20 and BPE 10. BOE 2 includes a user interface screen 24 described in more detail below. BOB 2 generates and manipulates process data, that is, business data and/or process cycles 16, and creates a rules and knowledge base 18. Reports (not shown) can be produced and output, and information can be exported to external tools 26. Agents can be used within BOE's application framework. In one embodiment, BOB 2 resides on top of CMLINK software.

[0022] FIG. 2 illustrates the components of BPE 10. BPE 10 extracts complete, i.e. end-to-end, process life cycle information from business solutions implemented by integrating heterogeneous independent BPM-based applications 20. Integration layer 22 includes standard framework interfaces, as well as other interface processes known in the art, and can be used to interface between the applications 20 and BPE 10. Real time processes are extracted from these applications 20, enabling creation of an exact "picture", that is a description of the steps, inputs, etc., of each existing process. This picture can illustrate, among other things, gaps within the process.

[0023] BPE 10 supports multiple ways of extracting process information. Three such techniques follow, but other extracting methods can be used. One approach employs a plug-in, such as ECM Integration Bridge, which can interpret messages exchanged via an integrated platform. A second technique uses a message "publish and subscribe" mechanism, in which BPE 10 subscribes for specific messages published by the integrated business solution. A third method involves seamlessly inserting stubs into existing applications to expose relevant message data to achieve the extraction. BPE 10 can use these or other extraction techniques in any combination.

[0024] The extracted data is then correlated and stored as process data in a data repository 16. In one embodiment, the message content of the extracted data is inspected using data present in the rules and knowledge base 18 to identify and categorize the process context within the message. Identification and categorization can be performed by process discovery 30 using pattern matching and sequence matching in conjunction with the data in the rules and knowledge base 18.

[0025] Once the process context is identified, BPE 10 correlates the identified message with other related process messages to create a complete end-to-end life cycle. An event correlation engine 28 can perform real time event correlation.

[0026] After being correlated, the life cycle or process cycle is published to the data repository as process data 16 in an industry standard format such as business process modeling notation (BPMN) or business process execution language (BPEL). As a result, BPE 10 provides a clear picture of the real time process. Further, extracted life cycle data can be used to determine how many similar cycles are present in the data repository 16 to help identify patterns, and to process usage patterns. The stored process data 16 is further analyzed by the BPA 12 as described below.

[0027] FIG. 8 shows the flow of BPE 10 in accordance with the architecture illustrated in FIGS. 1 and 2. During step E1, the system waits for a message and/or message event from data acquisition interfaces 22. These interfaces can obtain components for data acquisition from middleware 20 as well as from application stubs and/or agents 20.

[0028] In step E2, pre-processing is performed, if desired. Any preliminary processing, such as removal of unnecessary content from the message event or message data, can be done in the pre-processor. After pre-processing, in step E3, data is extracted from the message event. The extracted data is identified and categorized in step E4. Configurable or pre-defined rules are used for this identification and categorization of the application or business process context. These pre-defined rules, along with categories, application configurations, etc., are stored in a rules and knowledge base 18 accessible by BPE 10.

[0029] Step E5 performs two activities, in accordance with configurable or pre-defined rules. First, the categorized data is stored, and second, the correlation engine 28 is notified. Processing returns to step E1, and the system waits for another message event. The configurable rules can be obtained from a rules and knowledge base 18.

[0030] In step E6, a synchronous call is issued. The event correlation engine 28 is executed in step E7. Process discovery 30 can be performed in conjunction with the correlation engine 28. Pre-defined algorithms, along with plug-ins for algorithms, can be used by the correlation engine 28 to identify, relate and sequence the messages and/or extracted data received from the notification activity of step E5. A complete end-to-end life cycle is created from the data, and then, in step E8, the life cycle is published as processed data 16.

[0031] FIG. 3 illustrates the components of the BPA 12 shown in FIG. 1. BPA 12 analyzes extracted process data 16 with a process pattern analysis engine 34. The analysis can be performed using reference models present in the knowledge repository 36 and/or rules from the rules repository 38 from rules and knowledge base 18, and identifies usage patterns in the extracted process data or cycles 16. In addition, this extracted process data 16 is correlated with data in the knowledge repository 36, which may include analyzed processes 40 previously output from BPA 12, as discussed below. The process data 16 can be used for identifying bottlenecks and fine-tuning a process. Also, information can be obtained from the analysis of the process data 16, such as a root cause for a process problem, for example, why the approval process takes so long. The process data 16 can also be used for adaptive learning, that is, adopting an efficient real time process as a standard reference model in the knowledge repository 36.

[0032] Analysis of the process data 16 by BPA 12 in relation to other extracted information from the knowledge/rules repositories 18 can provide insight into existing processes. BPA 12 can promote understanding of the interrelationships among business applications and processes, and can offer details regarding integration of different applications and process re-engineering including conversion of multiple parallel processes performed by different departments, to a single enterprise-level standard process.

[0033] A user interface tool 42 enables input and display of information and diagrams, such as extracted processes and/or steps of process data 16 being analyzed. BPA 12 can combine or compare the process data 16 with data from a knowledge repository 36, best practices, user input, and a rules repository 38 in a rules engine 32 to establish what process is where, what belongs, and how it relates. In accordance with one embodiment, SPA 12 can determine if a similar process has been encountered using data in the rules and knowledge base 18. Upon completion of the analysis, BPA 12 publishes analyzed processes 40. Further, based on the analysis, BPA 12 can recommend an integrated solution.

[0034] FIG. 4 illustrates the components of the BPO 14. These components include process optimization algorithms 44, an optimizer 46, a process simulator 48, and a process migrator 50. Optimization algorithms 44 can include algorithms that perform “what if” analysis, heuristic methods of optimization, and other techniques. Multiple optimization techniques can be combined. The optimizer 46 suggests required modifications to the analyzed processes 40. The process simulator 48 simulates the processes 40 to determine how they perform. Optimized processes 52 are published for migration and can be input to the process migrator 50. The process migrator 50 outputs processes to a standard run time engine 54 and/or to external tools 26 such as business activity monitoring (BAM) tools for obtaining reports.

[0035] BPO 14 uses information stored in the knowledge/rules repositories 18 to optimize an analyzed process 40, creating an optimized process 52. In one embodiment, a business analyst can interact with the system to manually optimize an analyzed process 40.

[0036] FIG. 5 is a flow diagram for an exemplary embodiment of SOE 2 as illustrated in FIG. 1. In step S1, the BPE 10 extracts one or more current business processes 16 from BPM-based applications 20. These business processes 16 are stored as extracted process data 16, and individually analyzed by the SPA 12 in step S2. The analysis can include identifying usage patterns, comparing extracted processes 40 with pre-defined processes in the rules repository 38, and other techniques. Upon completion of the analysis, analyzed processes 40 are output. In step S3, based on the analysis, BPO 14 provides optimization suggestions for each individual process 40 analyzed in step S2. In one embodiment, current business processes can be monitored.

[0037] FIGS. 6 and 7 show a sample user interface screen 24 for one embodiment of BOE 2. The top portion of the screen displays a process flow for Issue 123 and the middle portion of the screen displays a process flow for Issue 124. This data has been extracted by BPE 10 and saved as extracted process data 16. As shown in FIGS. 6 and 7, each entry or activity in the process flow includes a status, a description, a “note by” employee, and a time stamp. These items are displayed on both the screen’s top portion and the screen’s middle portion. The screen’s middle portion also includes analysis and displays the actual hours each event took (Hrs./

Event), along with a standard number of hours per event (Std Hrs./ Event) obtained, for example, from a rules repository 38. The deviation or difference between actual and standard is calculated and displayed (Deviation (Hrs.)) along with an updated column (Updated (Hrs.)) in which “what-if” analysis can be performed. The updated column is initially populated with the data from the actual hours/event column, as shown in FIG. 6. A user can perform “what-if” analysis by changing one or more entries in the updated column. FIG. 7 illustrates a “what-if” analysis, described in more detail below.

[0038] The screen’s bottom portion, shown in FIGS. 6 and 7, illustrates optimized process outcome for multiple extracted process flows, including the Issue 123 displayed in the screen’s top portion and the Issue 124 displayed in the screen’s middle portion. Changes in the updated column in the middle portion are reflected in the corresponding row of the bottom portion. As shown in FIG. 7, the user changed the ASSIGNED row for Issue 124 in the screen’s middle portion from 0.75 (Hrs.) to 0.25 (Hrs.). This resulted in the “total time taken” column in the top row of the screen’s bottom portion, that is, the row for Issue 124, changing from 1.27 (Hrs.) to 0.78 (Hrs.), and the “total deviation” column changing from 4.73 (Hrs.) to 5.22 (Hrs.). The “total deviation” is computed by BPO 14 as the “total time taken” subtracted from the “original time”, that is, the amount of time originally allocated for the task. The original time can be obtained, for example, from the rules repository 38 or knowledge repository 36.

[0039] BOE 2 seamlessly translates the identified process in the form of BPMN and/or BPEL. Translated business processes can be exported to external tools 26 like MS Visio®. This feature simplifies the making of process changes, by enabling the use of any tool that supports BPEL and BPMN standards to implement changes. Accordingly, BOE 2 not only helps in identifying bottlenecks in the existing solutions but also improves performance of the solutions to the optimum level.

[0040] While the present invention has been described in particular embodiments, it should be appreciated that the present invention should not be construed as limited by such embodiments, but rather construed according to the below claims.

What is claimed is:

1. A method for extracting information from business applications in real time, said method comprising the steps of: obtaining a message from the business applications; identifying and categorizing a business process context of said message; storing said business process context of said message; correlating said message based on said business process context with stored business process contexts to create a life cycle; and publishing said life cycle as processed data.
2. The method according to claim 1, further comprising the step of pre-processing said message.
3. The method according to claim 1, further comprising the step of extracting data from said message.
4. The method according to claim 1, wherein said step of obtaining is performed using one of a plug-in, a message sniffer, and a subscription for specific categories published by business applications.
5. The method according to claim 1, wherein the step of correlating is performed in a correlation engine having pre-defined algorithms.

6. The method according to claim 1, wherein the step of identifying and categorizing is performed using configurable rules.

7. A computer readable medium having computer readable program for operating on a computer for extracting information from business applications in real time, said program comprising instructions that cause the computer to perform the steps of.

obtaining a message from the business applications;
identifying and categorizing a business process context of said message;
storing said business process context of said message;
correlating said message based on said business process context with stored business process contexts to create a life cycle; and
publishing said life cycle as processed data.

8. The computer readable program according to claim 7, further comprising the step of pre-processing said message.

9. The computer readable program according to claim 7, further comprising the step of extracting data from said message.

10. The computer readable program according to claim 7, wherein said step of obtaining is performed using one of a plug-in, a message sniffer, and a subscription for specific categories published by business applications.

11. The computer readable program according to claim 7, wherein the step of correlating is performed in a correlation engine having pre-defined algorithms.

12. The computer readable program according to claim 7, wherein the step of identifying and categorizing is performed using configurable rules.

13. A system for extracting information from business applications in real time, comprising:

a message obtained from the business applications;
a business process context of said message;
a life cycle; and

processed data, wherein said message is correlated with stored business process contexts based on said business process context to create said life cycle and said life cycle is published as processed data.

14. The system according to claim 13, further comprising the step of pre-processing the message.

15. The system according to claim 13, further comprising the step of extracting data from the message.

16. The system according to claim 13, wherein said obtaining is done using one of a plug-in, a message sniffer, and a subscription for specific categories published by business applications.

17. The system according to claim 13, further comprising a correlation engine having pre-defined algorithms for correlating said message.

18. The system according to claim 13, further comprising configurable rules for identifying and categorizing said message.

* * * * *